

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1874	710/22-28.ccls. or 709/212.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 08:58
S2	182	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context) near3 (register buffer)) with (count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:42
S3	184	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer)) with (count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:10
S4	11	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer)) with (count\$3) with (next near3 (register buffer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:21
S5	16	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with (next near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:45
S6	0	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with (lookahead near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:18
S7	0	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with (look-ahead near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:17
S8	0	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with ((look adj ahead) near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:17

EAST Search History

S9	0	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with (lookahead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:18
S10	23	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with ((next link\$4 chain\$4) near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 09:30
S11	10	S1 and (DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with ((link\$4 chain\$4) near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:15
S12	47	S1 and (DMA with (prefetch read?ahead look?ahead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 10:16
S13	584	(DMA with ((setting operation control\$4 tranfer descriptor context) near3 (register buffer)) with (count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:42
S14	17	(DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer)) with (count\$3) with (next near3 (register buffer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:43
S15	23	(DMA with ((setting operation control\$4 tranfer descriptor context configur\$6) near3 (register buffer pointer)) with (count\$3) with (next near3 (register buffer pointer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:45
S16	720	(DMA with (select\$4) with (register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:17
S17	135	(DMA near3 (select\$4) near3 (register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:22

EAST Search History

S18	3	(DMA near3 (select\$4) near3 (register)) with (external near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:24
S19	21	(DMA near3 (select\$4) near3 (register)) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:26
S20	24	(DMA near3 (select\$4 mux multiplex\$4) near3 (register)) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:27
S21	332	(DMA with (select\$4 mux multiplex\$4) with (register)) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:27
S22	123	(DMA with (select\$4 mux multiplex\$4) near3 (register)) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:27
S23	51	(DMA with (select\$4 mux multiplex\$4) with (register)) with (external near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:28
S24	21	(DMA with (register) with (transfer near3 condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:38
S25	6	(DMA with (register) with (transfer near3 condition)) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:31
S26	31	(DMA with (external near3 memory) with (setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:42
S27	718	(DMA with (memory) with (setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:42

EAST Search History

S28	110	(DMA near3 (memory) near3 (setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:00
S29	9	(DMA near3 (memory) near3 (setting) near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:49
S30	14	(DMA near3 (memory) near3 (parameter setting) near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:51
S31	12	(DMA near3 (memory) near3 (instruction) near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:51
S32	167	(DMA with (instruction near3 (memory)) with (transfer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:08
S33	20	(DMA with (instruction near3 (memory)) with (transfer)) with CPU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:08
S34	45	(DMA with (internal near3 control near3 register))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:32
S35	347447	((DMA near3 (controller engine)) or (memory near3 access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:22
S36	999	((DMA near3 (controller engine)) or (memory near3 access)) with (register) with (next subsequent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:23
S37	64	((DMA near3 (controller engine)) or (memory near3 access)) with (register) with ((next subsequent) near3 (transfer\$4 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:23

EAST Search History

S38	19772	710/36-38,52,305,306,316,317. ccls. or 709/238-242.ccls. or 370/351-365.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:24
S39	891	S38 and (server host computer) with (switch router hub) with (I/O peripheral storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:24
S40	85	S39 and (switch hub router) with (((input receive\$4 receive\$4 ingress) and (output transmit\$4 transmission egress))) with (buffer queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:31
S41	17827	(server host computer) with (switch router hub) with (I/O peripheral storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:02
S42	17827	(server host computer) with (switch router hub) with (I/O peripheral storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:24
S43	499	S42 and (switch hub router) with (((input receive\$4 receive\$4 ingress) and (output transmit\$4 transmission egress))) with (buffer queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:25
S44	499	S43 and (switch hub router) with (((input receive\$4 receive\$4 ingress) and (output transmit\$4 transmission egress))) with (buffer queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:34
S45	10	S43 and (switch hub router) with (((input receive\$4 receive\$4 ingress) and (output transmit\$4 transmission egress))) with (buffer queue)) with (mux multiplexor multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:34
S46	13457	(switch hub router) with (((input receive\$4 receive\$4 ingress) and (output transmit\$4 transmission egress))) with (buffer queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:34

EAST Search History

S47	622	(switch hub router) with (((input receiv\$4 recep\$4 ingress) and (output transmit\$4 transmission egress)) with (buffer queue)) with (mux multiplexor multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:34
S48	578	(switch) with (((input receiv\$4 recep\$4 ingress) and (output transmit\$4 transmission egress)) with (buffer queue)) with (mux multiplexor multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S49	550	S48 and (@ad<="20030818" or @rlad<="20030818")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:35
S50	31	(switch) near3 (((input receiv\$4 recep\$4 ingress) and (output transmit\$4 transmission egress)) near3 (buffer queue)) with (mux multiplexor multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S51	0	(initializ\$4 with (map\$4 near3 table) with (switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:58
S52	0	(initializ\$4 with (map\$4 near3 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:58
S53	194	(initializ\$4 with (map\$4 near3 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 09:58
S54	5	(initializ\$4 with (map\$4 near3 table) with switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:01
S55	194	(initializ\$4 with (map\$4 near3 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:02
S56	6	(initializ\$4 with (map\$4 near3 table)) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:21

EAST Search History

S57	65	(initializ\$4 with (map\$4 near3 table)) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:13
S59	0	(initializ\$4 with (map\$4 near3 table)) with jtag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:13
S60	0	(initializ\$4 with (map\$4 near3 table)) with IIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:14
S61	0	(initializ\$4 with (map\$4 near3 table)) with I2c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:14
S62	7	(map\$4 near3 table) with I2c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:46
S63	4	(rout\$4 near3 table) with (jtag I2c)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:52
S64	35	(server) with (USB) with keyboard with video with mouse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:55
S65	60	(host) with (USB) with keyboard with (video display) with mouse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:55
S66	8366	(switch with (user near3 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:21
S67	42	(switch with (user near3 interface)) same ((map\$4 rout\$4 near3 (table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:27

EAST Search History

S68	276	access with (switch with (user near3 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:28
S69	182	access with (switch with (user near3 interface)) and @ad<="20020818"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:32